


09/902.818

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	48	(US-20020029256-\$ or US-20020032790-\$ or US-20020046294-\$ or US-20020052856-\$ or US-20020059425-\$ or US-20020112058-\$ or US-20020116454-\$ or US-20020143855-\$ or US-20020188666-\$ or US-20020199173-\$ or US-20030014733-\$ or US-20030018808-\$ or US-20030023957-\$ or US-20030028864-\$ or US-20030033588-\$ or US-20030041178-\$ or US-20030046668-\$ or US-20030163585-\$ or US-20040015916-\$).did. or (US-5390314-\$ or US-5450535-\$ or US-5579223-\$ or US-5640568-\$ or US-5678039-\$ or US-5740440-\$ or US-5740443-\$ or US-5812843-\$ or US-5812850-\$ or US-5842021-\$ or US-5911074-\$ or US-6021275-\$ or US-6072951-\$ or US-6202199-\$ or US-6219831-\$ or US-6226787-\$ or US-6282701-\$ or US-6292940-\$ or US-6304262-\$ or US-6317873-\$ or US-6381736-\$ or US-6381739-\$ or US-6415433-\$ or US-6457066-\$ or US-6457176-\$ or US-6654950-\$).did. or (US-6654953-\$ or US-6782542-\$ or US-RE37722-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/06/28 12:38
L2	2	L1 and 717/143.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 12:39
L3	0	(display.ab.) and (data.ab.) and (data same depend\$4) and (software and compiler) and (program same analy\$4) and (declar\$5 near\$5 soap) and (@ad<"20010717" or @rlad<"20010717" or @prad<"20010717")	US-PGPUB; USPAT	OR	OFF	2005/06/28 12:49

L4	0	(display.ab.) and (data.ab.) and (data same depend\$4) and (software and compiler) and (program same analy\$4) and (attribut\$2 near3 soap) and (@ad<"20010717" or @rlad<"20010717" or @prad<"20010717")	US-PGPUB; USPAT	OR	OFF	2005/06/28 12:49
----	---	---	--------------------	----	-----	------------------

**Web**Results 1 - 10 of about 72,200 for **SOAP attribute compile**. (0.49 seconds)More on **SOAP** extensionsIn a previous tip, I explained how **SOAP** Extensions allow you to plug in and ...**Compile** and test your Web service. Once you do, you will see a log file that ...searchvb.techtarget.com/vsnetTip/ 1,293823,sid8_gci817646_tax293034,00.html - 36k - [Cached](#) - [Similar pages](#)WSE and problems with the C++ compilerNames arguments for custom attributes are limited to **compile** time constants. ...Update: The WSE team fixed the **attribute** in WSE 2.0 SP2 ...weblogs.asp.net/cschittko/ archive/2004/11/20/267413.aspx - 28k - Jun 26, 2005 - [Cached](#) - [Similar pages](#)WSE and problems with the C++ compilerThe sample code had the SoapActor **attribute** attached to the web service, ...Names arguments for custom attributes are limited to **compile** time constants. ...weblogs.asp.net/cschittko/ archive/0001/01/01/267413.aspx - 28k - [Cached](#) - [Similar pages](#)The Code Project - SOAPing without a Web Server - .NETDemonstrates how to use ATL Server to build **SOAP** servers/clients over varioustransport ... The soap_handler **attribute** will inject the following methods ...

www.codeproject.com/dotnet/soaptransport.asp?df=100&forumid=2182&exp=0&select=118328 - 57k -

[Cached](#) - [Similar pages](#)The Code Project - SOAPing without a Web Server - .NETDemonstrates how to use ATL Server to build **SOAP** servers/clients over various... How I can have atlssoap.h to get your example **compile** with error free ? ...

www.codeproject.com/dotnet/soaptransport.asp?df=100&forumid=2182&exp=0&select=114313 -

57k - [Cached](#) - [Similar pages](#)[[More results from www.codeproject.com](#)]Welcome to www.Mastercsharp.com - Master C#, the easy way...Creating Custom **SOAP** Extensions - Compression Extension ... Once you apply the**attribute**, re-**compile** the PubsTestApp this time using the following ...www.mastercsharp.com/article.aspx?ArticleID=86&&TopicID=7 - 63k - [Cached](#) - [Similar pages](#)15 Seconds : **SOAP** Test HarnessNET **SOAP** test harness, which allows technical and functional personnel to ...NET pages are written in C# and implement the "Codebehind" **attribute** of the ...www.15seconds.com/issue/011204.htm - 84k - Jun 26, 2005 - [Cached](#) - [Similar pages](#)Axis-orizing objects for **SOAP**Go from Java objects to a **SOAP** Web service with Apache Axis ... From the Java source generated in Step 3, **compile** the client-side proxy classes. ...www.javaworld.com/javaworld/jw-04-2003/jw-0411-axis.html - [Similar pages](#)XML Web Services and **SOAP****Compile** the C# file to a dll, using the following csc command: ... The soapAction**attribute** in the operation element from the soap namespace, displays the ...www.vijaymukhi.com/documents/books/xmlsoap/chap2.htm - 55k - [Cached](#) - [Similar pages](#)